

Address: #603 Kaijin Building Suzhou Road Jiaozhou Qingdao City Shandong Province, China TEL: +86 151 54298833 FAX: +86 532 87210193

Web: www.eme-machinery.com

## The Movable Poultry Abattoir Equipment List



## **Qingdao Empire Machinery Co., Ltd (EME)**

Address: #603 Kaijin Building Suzhou Road Jiaozhou Qingdao City Shandong Province, China

Mob/WhatsApp: +86 151 54298833 Website: www.eme-machinery.com

Email: alex@eme-machinery/qe\_alex@yahoo.com

Contact: Alex Liu (Executive Director)



Address: #603 Kaijin Building Suzhou Road Jiaozhou Qingdao City Shandong Province, China TEL: +86 532 87237613 FAX: +86 532 87210193

Web: www.eme-machinery.com

#### I. Poultry Movable Abattoir Project Brief Introduce

· · · · · · · · · · · · · · · · · · ·	
1; Main Data	
1.1 Poultry Abattoir Design Capacity	500Poultry/Hour
1.2 Poultry Abattoir Plant Out Size (LXWXH)	12000 X 2300 X 2700 MM
1.3 Bleeding Time	3-4Minutes
1.4 Scalding Temperature	60-650C
1.5 Scalding Time	80Second
1.6 Chilling Temperature	0~-20C
1.7 Chilling Time	30-60Minutes
1.8 Deliver Period In China	20Days
1.9 (The delivery as per buyer's down-payment value have been received in China)	
1.10 Installation and Debugging Technicians	0Person
1.11 Installation and Debugging Period	0Days
1.12 Voltage Rating	380V / 3P / 50HZ
1.13 Electric Consumption	25Kw/H
1.13 Electric Consumption	3-5Ton/Shift
1.15 Slaughterhouse Worker	

- 2; Quality Standard: Compliance with the related ISO9001: 2008 Standard
- 3; Design Religion: Base on Islamic Halal and international standard slaughtering tradition
- 4; Deliver Items (Loading Port: Qingdao port of China)
- 5; Packaging Standard: Original factory packaging loading in container
- 6; Transportation Way: The complete poultry abattoir equipment need one piece 40HQ containers for transportation
- 7: Payment Way: The total invoice value will be payment as two time, the detail as following:
  - ✓ The down-payment 50% of total invoice value will be payment within 10days from sale contract signature date through telegraphic transfer
  - The rest 50% of total invoice value will be payment through telegraphic transfer before all equipment deliver from Qingdao port of China, meanwhile the seller party will invite buyer send one representative come to factory for equipment checking before loading into container for shipment
- **8**; Quality Guarantee: The quality guarantee period of all equipment is 12 months since the date when the installation and debug have been complete, the equipment are made available to buyer and signature is made on the Buyer's Completed Bill.



Address: #603 Kaijin Building Suzhou Road Jiaozhou Qingdao City Shandong Province, China TEL: +86 532 87237613 FAX: +86 532 87210193

Web: www.eme-machinery.com

## II、Poultry Movable Container Type Abattoir Equipment List:

No.	Items	Model	Unit	Qty	
1、	Movable Poultry Abattoir Main Equipment Unit				
1.1	Living poultry hanging table	QE-B102	Set	1	
1.2	Poultry abattoir over head convey rail system	QE-B202-I	M	30	
1.3	Poultry blood collection tank	QE-B205	Set	1	
1.4	Closed type poultry scalding machine	QE-B203-I	Set	1	
1.5	A- type poultry plucking machine	QE-B204-VI	Set	1	
1.6	Poultry viscera collection chute	QE-B301-I	Set	1	
1.7	Poultry carcass chilling tank	QE-B401	Set	1	
1.8	Poultry carcass unloading device	QE-B206-I	Set	1	
1.9	Frequency type poultry abattoir electric controlling cabinet	QE-B407-I	Set	1	
2、	2 Movable Poultry Abattoir Auxiliary Device and Installation Material Unit				
2.1	Air condition	QE-P01	Set	1	
2.2	Light	QE-E-01	Set	3	
2.3	Electric cable	QE-EC01	M	80	
2.4	Electric cable pipe	QE-L01	M	80	
2.5	Installation material	QE-IM01	Ton	3	



Address: #603 Kaijin Building Suzhou Road Jiaozhou Qingdao City Shandong Province, China TEL: +86 532 87237613 FAX: +86 532 87210193

Web: www.eme-machinery.com

### **III.** Poultry Movable Abattoir Equipment Specification:

#### 1. Movable Poultry Abattoir Main Equipment Unit

1.1 Living poultry hanging table------1Set

#### Model: QE-B101

Which main used for living poultry cage put on suitable position for hanging, the detail data as following:

1)-Out size: 1300x632x935mm(XLWXH) 2)-Material: complete stainless steel

3)-Installation way: installation on floor with stents



#### Model: QE-B202-I

Which main used to hang poultry for killing bleeding plucking evisceration and chilling, the detail data as following:

1)-Length: 30m

2)-Rating Voltage: 380V, Controlling Voltage: 24VDC

3)-Power: 2.2KW

4)-Hanging Distance: 6inch

5)-Material: Complete stainless steel


6)-Remark: the convey systems include following device:

✓ Driving device-----1set

 $\checkmark$  Tension device-----1set

✓ Rotate device-----3sets





#### 1.3 Poultry blood collection tank------1Set

#### Model: QE-B205

Which main used for poultry blood collection, the detail data as following:

- 1)-Material: complete stainless steel
- 2)-Installation way: installation on floor with stents
- 3)-Out size:
  - √ 3300X400X800mm(LXWXH)
  - √ 1200X400X800mm(LXWXH)
- 4)-Blood insolation plate: 9000X400X150mm(LXWXH)



#### 1.4 Closed Type Poultry Scalding Machine-----

Which used to scalding the Poultry which after killing and bleeding, the detail data as following:

1)-Capacity: 500Bph

Model: QE-B203-I

2)-Temperature: 58-70°C

3)-Rating Voltage: 380V, Controlling Voltage: 24VDC

4)-Power: 4Kw

5)-Out size: 4300X500X2200mm(LXWXH)

6)-Material: Stainless steel

7)-Heating way: electric heating





# 1.5 Type Poultry Plucking Machine-----Model: QE-B204-VI

Which is one kinds of modern machine with high-tech and mainly used in poultry slaughtering plant, the machine can adjustment different feather plucking stick box to removed feather more cleaning, the detail data as following:

1)-Rate voltage: 380/220V

2)-Power: 2.2KWX4

Qingdao Empire-Professional Livestock Slaughtering House & Meat Deep Processing Solutions



Address: #603 Kaijin Building Suzhou Road Jiaozhou Qingdao City Shandong Province, China TEL: +86 532 87237613 FAX: +86 532 87210193

Web: www.eme-machinery.com

3)-Capacity: 500bph

4)-Out size: 4400X2350X2600mm (LXWXH)

5)-Material:

✓ Complete Stainless Steel

✓ Robber stick



Model: QE-B301-I

Which main used to receipt and collection the poultry viscera, the detail data as following:

1)-Out size: 3950X400X800X250mm (LXWXHXD)

2)-Material: stainless steel

1.7 Poultry carcass chilling tank-------1Set

Model: QE-B401

Which main used for poultry carcass chilling, the detail data as following:

1)-Out size: 3950X632X900mm (LXWXH)

2)-Material: stainless steel

1.8 Poultry carcass unloading device------1Set

Model: QE-B206-I

Which main used to unloading the poultry carcass from overhead convey rail for further treatment or deliver, the detail data as following:

3)-Out size:1500X400X500mm (LXWXH)

4)-Material: stainless steel

1.9 Frequency Type Poultry Abattoir Electric Controlling Cabinet------1Set

Model: QE-B407-I

Which used to controlling all the machine in the killing and bleeding unit, the detail data as following:

1)-Rating voltage: 380VAC, Controlling Voltage: 24VDC

2)-Waterproof

3)-Out size: 600X600X350mm(LXWXH)

## 2 Movable Poultry Abattoir Auxiliary Device and Installation Material Unit

2.1 Air condition------1Set

Model: QE-P01

Which main used to offer the cooling air for poultry abattoir workers, the detail data as

following:

1)-Installation way: wall type

2)-Power: 1.5P

2.2 Light------3Sets

Model: QE-E01

Which main used to offer the light for poultry abattoir, the detail data as following:

1)-Remark:

✓ Waterproof

✓ explosion-proof

2.3 Electric cable ------80M

Model: QE-C01

Which main used for poultry abattoir equipment motor to connect with electric cabinet, the detail data as following:

Qingdao Empire-Professional Livestock Slaughtering House & Meat Deep Processing Solutions















Address: #603 Kaijin Building Suzhou Road Jiaozhou Qingdao City Shandong Province, China TEL: +86 532 87237613 FAX: +86 532 87210193

Web: www.eme-machinery.com

1)-IP: 65 Grade

- 2)-Material:
- ✓ Copper inner
- ✓ Plastic cover
- 3)-Size: 1MM & 1.5MM & 2.5MM & 4MM and so on
- 4)-Remark: include the wire PVC cover tube from machine to electric cabinet



Which main used for poultry abattoir equipment motor to connect with electric cabinet, the detail data as following:

1)-Material: stainless steel

2)-Diameter: 32mm

Model: QE-IM01

#### 2.5 Poultry Abattoir Installation Auxiliary Material-----

Which used for poultry abattoir equipment installation support and hanging and floor non-slip, the detail as following:

- 1)-Square pipe:
- ✓ Material: stainless steel
- ✓ Size: 100X100X3mm(LXWXT)/80X80X2mm(LXWXT)
- 2)-Support column:
- ✓ Material: hot galvanized steel
- ✓ Diameter: 140mm
- 3)-Non-slip pattern plate:
- ✓ Material: Aluminum alloy
- ✓ Size: 12000X2300X3000mm(LXWXH)





-3Tons

